Safety data sheet
according to UK REACH

Printing date 29.07.2024 Version number 3.2 (replaces version 3.1) Revision: 29.07.2024

*

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** **CHAINLUBE FOR DRY CONDITIONS**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture**
Chain lubricant
Only for proper handling.

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**

MOTOREX AG
Bern–Zürich–Strasse 31, Postfach
CH–4901 Langenthal
Tel. +41 (0)62 919 75 75
www.motorex.com

· **Further information obtainable from:** msds@motorex.com
· **1.4 Emergency telephone number:**
In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

*

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**
Skin Sens. 1 H317 May cause an allergic skin reaction.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
· **Hazard pictograms**

GHS07

· **Signal word** Warning

· **Hazard-determining components of labelling:**
Polysulfides, di-tert-dodecyl
· **Hazard statements**
H317 May cause an allergic skin reaction.
· **Precautionary statements**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water.
P362+P364	Take off contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P321	Specific treatment (see on this label).
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety data sheet
according to UK REACH

Printing date 29.07.2024 Version number 3.2 (replaces version 3.1) Revision: 29.07.2024

Trade name: CHAINLUBE FOR DRY CONDITIONS

(Contd. of page 1)

· **2.3 Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

*

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**		
EC number: 918-481-9 Reg.nr.: 01-2119457273-39	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics Asp. Tox. 1, H304, EUH066	10-25%
Polymer	2-Propenoic acid, 2-methyl-, dodecyl ester, polymer with eicosyl 2-methyl-2-propenoate, hexadecyl 2-methyl-2-propenoate, methyl-2-methyl-2-propenoate, octadecyl 2-methyl-2-propenoate, pentadecyl 2-met Eye Irrit. 2, H319	2.5-7.5%
CAS: 64742-55-8 EINECS: 265-158-7 Index number: 649-468-00-3 Reg.nr.: 01-2119487077-29	Distillates (petroleum), hydrotreated light paraffinic Expl. 1.1, H201; Asp. Tox. 1, H304	≥1-≤7.5%
EC number: 934-956-3 Reg.nr.: 01-2119827000-58	Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics Asp. Tox. 1, H304	2.5-7.5%
EC number: 920-107-4 Reg.nr.: 01-2119453414-43	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics Asp. Tox. 1, H304	1-3%
EC number: 934-954-2 Reg.nr.: 01-2119826592-36	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cycloalkanes, <12:03% aromatics Asp. Tox. 1, H304	1-3%
CAS: 68425-15-0 EINECS: 270-335-7 Reg.nr.: 01-2119540516-41	Polysulfides, di-tert-dodecyl Skin Sens. 1B, H317	≥1-≤2.5%
CAS: 64743-00-6 EINECS: 265-205-1	Hydrocarbon waxes (petroleum), oxidized Eye Irrit. 2, H319	≥0.25-≤2.5%
CAS: 61789-86-4 EINECS: 263-093-9 Reg.nr.: 01-2119488992-18	Calcium petroleumsulfonate, synthetic, neutral Eye Irrit. 2, H319	1-2.5%

· **Regulation (EC) No 648/2004 on detergents / Labelling for contents**	
aliphatic hydrocarbons	≥30%
optical brighteners	<5%

· **Additional information:**
Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346.
For the wording of the listed hazard phrases refer to section 16.

*

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information:** Immediately remove any clothing soiled by the product.
· **After inhalation:**
Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)

Trade name: CHAINLUBE FOR DRY CONDITIONS

(Contd. of page 2)

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**
Remove residues with soap and water.
Remove contaminated clothing immediately.
Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:**
Do not induce vomitting. Do not take in resorption stimulating agents.
Consult a physician who will decide on need and method of emptying the stomach.

· **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:** No special measures required.

*

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Not required.

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.

· **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

*

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

· **Information about fire - and explosion protection:**
Do not spray onto a naked flame or any incandescent material.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**
The recommended storage temperature is (deg.C): ≤50°C

· **Storage class:** 10

· **7.3 Specific end use(s)** No further relevant information available.

(Contd. on page 4)

Safety data sheet
according to UK REACH

Printing date 29.07.2024 Version number 3.2 (replaces version 3.1) Revision: 29.07.2024

Trade name: CHAINLUBE FOR DRY CONDITIONS

(Contd. of page 3)

*

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**
· **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**		
64742-55-8 Distillates (petroleum), hydrotreated light paraffinic		
Dermal	DNEL / Workers / Local Effects / Long-term	1 mg/kg/8h (worker)
Inhalative	DNEL	2.7-5.4 mg/m3/8h (worker)
	DNEL	1.2 mg/m3/24h (consumer)
Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics		
Dermal	DNEL / Workers / Systemic effects / Long-term	2.9 mg/kg/24h (worker)
Inhalative	DNEL / Workers / Systemic effects / Long-term	16 mg/m3 (worker)
68425-15-0 Polysulfides, di-tert-dodecyl		
Oral	DNEL/general population/Systemic effects/Long-term	1.66 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	33.3 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	16.66 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	23.5 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	5.8 mg/m3 (consumer)
61789-86-4 Calcium petroleumsulfonate, synthetic, neutral		
Oral	DNEL/general population/Systemic effects/Long-term	0.8333 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Local Effects / Long-term	1.03 mg/cm2 (worker)
	DNEL / Workers / Systemic effects / Long-term	3.33 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	1.667 mg/kg/24h (consumer)
	DNEL/general population/Local effects/Long-term	0.513 mg/cm2 (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	11.75 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	2.9 mg/m3 (consumer)

· **PNECs**		
64742-55-8 Distillates (petroleum), hydrotreated light paraffinic		
Oral	PNEC / Predators / Secondary poisoning	9.33 mg/kg food (secondary poisoning (predators))
68425-15-0 Polysulfides, di-tert-dodecyl		
Oral	PNEC / Predators / Secondary poisoning	66.7 mg/kg food (secondary poisoning (predators))
	PNEC/Aquatic organisms/Sewage treatment plant/STP	1,000 mg/l (aquatic organisms)
61789-86-4 Calcium petroleumsulfonate, synthetic, neutral		
Oral	PNEC / Predators / Secondary poisoning	16.667 mg/kg food (secondary poisoning (predators))
	PNEC / Aquatic organisms / Freshwater	1 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Marine water	1 mg/l (aquatic organisms)
	PNEC/Aquatic organisms/Sewage treatment plant/STP	1,000 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Sediment (freshwater)	226,000,000 mg/kg (aquatic organisms)
	PNEC / Aquatic organisms / Sediment (marine water)	226,000,000 mg/kg (aquatic organisms)
	PNEC / Terrestrial organism / Soil	271,000 mg/kg (terrestrial organisms)

(Contd. on page 5)

(Contd. of page 4)

· **Additional information:** *The lists valid during the making were used as basis.*

· **8.2 Exposure controls**
· **Appropriate engineering controls** *No further data; see section 7.*
· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
· **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
· **Hand protection**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye/face protection** *Goggles recommended during refilling*
· **Body protection:** *Protective work clothing*

*

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**
· **General Information**

· **Physical state**	*Fluid*
· **Colour:**	*yellow fluorescent*
· **Odour:**	*weak*
· **Odour threshold:**	*Not determined.*
· **Melting point/freezing point:**	*Undetermined.*
· **Boiling point or initial boiling point and boiling range**	*Undetermined.*
· **Flammability**	*Not applicable.*
· **Lower and upper explosion limit**	
· **Lower:**	*1 Vol %*
· **Upper:**	*6 Vol %*
· **Flash point:**	*82 °C*
· **Auto-ignition temperature:**	*350 °C (DIN 51794)*
· **Decomposition temperature:**	*Not determined.*
· **pH**	*Not determined.*
· **Viscosity:**	
· **Kinematic viscosity**	*24.86 mm²/s @ 40 °C (DIN 51562-1)*
· **Consistency**	
· **Dynamic:**	*Not determined.*

(Contd. on page 6)

(Contd. of page 5)

· **Solubility**	
· **water:**	Not miscible or difficult to mix.
· **Partition coefficient n-octanol/water (log value)**	Not determined.
· **Heat Capacity**	
· **Vapour pressure:**	Not determined.
· **Density and/or relative density**	
· **Density at 20 °C:**	0.873 g/cm³ (ASTM D 4052)
· **Relative density**	Not determined.
· **Vapour density**	Not determined.
· **9.2 Other information**	
· **Appearance:**	
· **Form:**	Fluid
· **Important information on protection of health and environment, and on safety.**	
· **Explosive properties:**	Product does not present an explosion hazard.
· **Solvent separation test:**	
· **VOC (EC)**	20.00 %
· **Change in condition**	
· **Setting temperature / range:**	5 °C
· **Evaporation rate**	Not determined.
· **Information with regard to physical hazard classes**	
· **Explosives**	Void
· **Flammable gases**	Void
· **Aerosols**	Void
· **Oxidising gases**	Void
· **Gases under pressure**	Void
· **Flammable liquids**	Void
· **Flammable solids**	Void
· **Self-reactive substances and mixtures**	Void
· **Pyrophoric liquids**	Void
· **Pyrophoric solids**	Void
· **Self-heating substances and mixtures**	Void
· **Substances and mixtures, which emit flammable gases in contact with water**	Void
· **Oxidising liquids**	Void
· **Oxidising solids**	Void
· **Organic peroxides**	Void
· **Corrosive to metals**	Void
· **Desensitised explosives**	Void

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
· **10.3 Possibility of hazardous reactions** No dangerous reactions known.
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:** No further relevant information available.
· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 7)

Safety data sheet
according to UK REACH

Printing date 29.07.2024 Version number 3.2 (replaces version 3.1) Revision: 29.07.2024

Trade name: CHAINLUBE FOR DRY CONDITIONS

(Contd. of page 6)

*

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**		
64742-55-8 Distillates (petroleum), hydrotreated light paraffinic		
Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse)
		30-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
	LOAEL	100 mg/kg/24h (mouse)
Inhalative	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m3 (rat)
	NOAEL	980 mg/m3 (rat)
Hydrocarbons, C15-C20 n-alkanes, isoalkanes, cycloalkanes, <0.03% aromatics		
Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rabbit)
Inhalative	LC50 / 4h	1.72-4.6 mg/l (rat)
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics		
Oral	LD50	5,000-15,000 mg/kg (rat)
	NOAEL	1,000-5,000 mg/kg/24h (rat)
Dermal	LD50	2,000 mg/kg (rat)
		3,160-5,000 mg/kg (rabbit)
Inhalative	LC50 / 4h	4.951-9.3 mg/l (rat)
	LC50 / 8h	41-4,467 ppm (rat)
	LC50 / 8h	5 mg/l (rat)
	NOAEL	200 ppm (rat)
	NOAEC	275-10,400 mg/m3 (rat)
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cycloalkanes, <12:03% aromatics		
Oral	LD50	5,000 mg/kg (rat)
	NOAEL	5,000 mg/kg/24h (rat)
Dermal	LD50	3,160 mg/kg (rabbit)
Inhalative	LC50 / 4h	5.266 mg/l (rat)
	NOAEC	10.4 mg/l (rat)
68425-15-0 Polysulfides, di-tert-dodecyl		
Oral	LD50	19,550 mg/kg (rat)
	NOAEL	1,000 mg/kg/24h (rat)
Dermal	LD50	2,000 mg/kg (rat)
Inhalative	LC50 / 4h	15.5 mg/l (rat)
61789-86-4 Calcium petroleumsulfonate, synthetic, neutral		
Oral	LD50	16,000 mg/kg (rat)
Dermal	LD50	4,000-5,000 mg/kg (rabbit)
	NOAEL	1,000 mg/kg/24h (rat)
Inhalative	LC50 / 4h	1.9 mg/l (rat)
	NOAEL	50 mg/m3 (rat)

(Contd. on page 8)

(Contd. of page 7)

· **Respiratory or skin sensitisation** May cause an allergic skin reaction.
· **11.2 Information on other hazards**

· **Endocrine disrupting properties**
None of the ingredients is listed.

*

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
64742-55-8 Distillates (petroleum), hydrotreated light paraffinic	
LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)
	>100 mg/l/96h (Pimephales promelas) (OECD 203)
LL50	10,000 mg/l/72h (aquatic invertebrates)
LL50	10,000 mg/l/48h (aquatic invertebrates)
EL50	10,000 mg/l/48h (aquatic invertebrates)
NOEL	>100 mg/l/72h (Pseudokirchnerella subcapitata) (OECD 201)
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics	
LL50	1,000 mg/l/96h (fish)
LL50	1,000 mg/l/72h (fish)
LL50	1,000 mg/l/48h (fish)
LL50	1,000 mg/l/24h (fish)
LL0	1,000 mg/l/96h (fish)
EL50	1,000 mg/l/48h (aquatic invertebrates)
EL50	1,000 mg/l/24h (aquatic invertebrates)
EL50	1,000 mg/l/72h (algae / cyanobacteria)
EL0	1,000 mg/l/48h (aquatic invertebrates)
NOELR	1,000 mg/l/28d (fish)
NOELR	1,000 mg/l/21d (aquatic invertebrates)
NOELR	1,000 mg/l/72h (algae / cyanobacteria)
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cycloalkanes, <12:03% aromatics	
EC50	100 mg/l/3h (microorganisms)
LL50	1.028 mg/l/96h (fish)
LL50	3.193 mg/l/48h (aquatic invertebrates)
LL50	3.193 mg/l/24h (aquatic invertebrates)
EL50	10,000 mg/l/72h (algae / cyanobacteria)
NOELR	1,000 mg/l/28d (fish)
NOELR	1,000 mg/l/21d (aquatic invertebrates)
68425-15-0 Polysulfides, di-tert-dodecyl	
LC50	100 mg/l/96h (fish)
LC0	100 mg/l/96h (fish)
LL50	100 mg/l/96h (fish)
NOEC	0.08 mg/l/72h (algae / cyanobacteria)
	10-10,000 mg/l/72h (microorganisms)
NOEC	100 mg/l/96h (fish)
NOEC	0.1 mg/l/48h (aquatic invertebrates)

(Contd. on page 9)

Trade name: CHAINLUBE FOR DRY CONDITIONS

(Contd. of page 8)

61789-86-4 Calcium petroleumsulfonate, synthetic, neutral	
EC50	1,000 mg/l/96h (algae / cyanobacteria)
EC50	1,000 mg/l/72h (algae / cyanobacteria)
EC0	1,000 mg/l/48h (aquatic invertebrates)
EC50	1,000 mg/l/48h (aquatic invertebrates)
NOEC	1,000 mg/l/72h (algae / cyanobacteria)
NOEC	1,000 mg/l/96h (algae / cyanobacteria)

· **12.2 Persistence and degradability** Biodegradability (CEC L-33-A-93):> 75%

· **12.3 Bioaccumulative potential**	
64742-55-8 Distillates (petroleum), hydrotreated light paraffinic	
Partition coefficient	>3.5 [---] (log Kow) (Bioaccumulation)
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics	
Biodegradability	2 % (28d) (Biodegradability) (OECD 301 F)
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cycloalkanes, <12:03% aromatics	
Biodegradability	74 % (28d) (Biodegradability) (OECD 306)
68425-15-0 Polysulfides, di-tert-dodecyl	
Partition coefficient	6.2-12.45 [---] (log Kow) (Bioaccumulation)

· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

*

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Contact waste processors for recycling information.
Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

· **Uncleaned packaging:**
· **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR/RID/ADN, ADN, IMDG, IATA**	Not classified as hazardous for transport
· **14.2 UN proper shipping name**	
· **ADR/RID/ADN, ADN, IMDG, IATA**	Not classified as hazardous for transport

(Contd. on page 10)

Safety data sheet
according to UK REACH

Trade name: CHAINLUBE FOR DRY CONDITIONS

(Contd. of page 9)

· **14.3 Transport hazard class(es)**	
· **ADR/RID/ADN, ADN, IMDG, IATA**	
· **Class**	*Not classified as hazardous for transport*
· **14.4 Packing group**	
· **ADR/RID/ADN, IMDG, IATA**	*Not classified as hazardous for transport*
· **14.5 Environmental hazards:**	
· **Marine pollutant:**	*No*
· **14.6 Special precautions for user**	*Not applicable.*
· **14.7 Maritime transport in bulk according to IMO instruments**	*Not applicable.*
· **UN "Model Regulation":**	*Not classified as hazardous for transport*

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Poisons Act**

· **Regulated explosives precursors**
None of the ingredients is listed.

· **Regulated poisons**
None of the ingredients is listed.

· **Reportable explosives precursors**
None of the ingredients is listed.

· **Reportable poisons**
None of the ingredients is listed.

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*

· **National chemical directories**
Components listed or exempted from listing:
TSCA (USA)
DSL/NDSL (CDN)
AICS (Aus)
IECSC (CN)
EINECS/ELINCS/NLP (EU)
ECL/KECI (KOR)
PICCS (RP)

· **15.2 Chemical safety assessment:** *A Chemical Safety Assessment has been carried out.*

*

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.
No special training instructions to ensure protection of human health and environment are required.

· **purity requirement**
· **Relevant phrases**
H201 Explosive; mass explosion hazard.

(Contd. on page 11)

(Contd. of page 10)

H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
EUH066 Repeated exposure may cause skin dryness or cracking.

· **Department issuing SDS:** Abteilung Produktsicherheit
· **Abbreviations and acronyms:**
Expl. 1.1: Explosives – Division 1.1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
Asp. Tox. 1: Aspiration hazard – Category 1
· *** Data compared to the previous version altered.**

Annex: Exposure scenario 1

· **Short title of the exposure scenario** Industrial use of lubricants and greases in open systems
· **Sector of Use**
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
· **Product category** PC24 Lubricants, greases, release products
· **Process category**
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC7 Industrial spraying
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC10 Roller application or brushing
PROC13 Treatment of articles by dipping and pouring
· **Environmental release category**
ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
· **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
· **Conditions of use**
· **Duration and frequency** 5 workdays/week.
· **Physical parameters**
· **Physical state** Fluid
· **Concentration of the substance in the mixture** The substance is main component.
· **Other operational conditions**
· **Other operational conditions affecting environmental exposure** No special measures required.
· **Other operational conditions affecting consumer exposure** Not required.
· **Other operational conditions affecting consumer exposure during the use of the product**
Not applicable.
· **Risk management measures**
· **Worker protection**
· **Organisational protective measures** No special measures required.
· **Technical protective measures** No special measures required.
· **Personal protective measures** No special measures required.
· **Measures for consumer protection** No special measures required.
· **Environmental protection measures**
· **Air** No special measures required.
· **Water** No special measures required.
· **Disposal measures**
Disposal must be made according to official regulations.
Ensure that waste is collected and contained.
· **Disposal procedures** Dispose of product residues with household waste.

(Contd. on page 12)

Safety data sheet
according to UK REACH

Trade name: CHAINLUBE FOR DRY CONDITIONS

(Contd. of page 11)

· **Waste type** Partially emptied and uncleaned packaging
· **Exposure estimation**
· **Consumer** Not relevant for this Exposure Scenario.
· **Guidance for downstream users** No further relevant information available.

Annex: Exposure scenario 2

· **Short title of the exposure scenario** Professional use of lubricants and greases in open systems
· **Sector of Use**
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
· **Product category** PC24 Lubricants, greases, release products
· **Process category**
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC10 Roller application or brushing
PROC11 Non industrial spraying
PROC13 Treatment of articles by dipping and pouring
· **Environmental release category**
ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
· **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
· **Conditions of use**
· **Duration and frequency** 5 workdays/week.
· **Physical parameters**
· **Physical state** Fluid
· **Concentration of the substance in the mixture** The substance is main component.
· **Other operational conditions**
· **Other operational conditions affecting environmental exposure** No special measures required.
· **Other operational conditions affecting consumer exposure** Not required.
· **Other operational conditions affecting consumer exposure during the use of the product**
Not applicable.
· **Risk management measures**
· **Worker protection**
· **Organisational protective measures** No special measures required.
· **Technical protective measures** No special measures required.
· **Personal protective measures** No special measures required.
· **Measures for consumer protection** No special measures required.
· **Environmental protection measures**
· **Air** No special measures required.
· **Water** No special measures required.
· **Disposal measures**
Disposal must be made according to official regulations.
Ensure that waste is collected and contained.
· **Disposal procedures** Dispose of product residues with household waste.
· **Waste type** Partially emptied and uncleaned packaging
· **Exposure estimation**
· **Consumer** Not relevant for this Exposure Scenario.
· **Guidance for downstream users** No further relevant information available.

(Contd. on page 13)

Safety data sheet
according to UK REACH

(Contd. of page 12)

Annex: Exposure scenario 3

· **Short title of the exposure scenario** Private use of lubricants and greases in open systems
· **Sector of Use** SU21 Consumer uses: Private households / general public / consumers
· **Product category** PC24 Lubricants, greases, release products
· **Environmental release category**
ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
· **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
· **Conditions of use**
· **Duration and frequency** 5 workdays/week.
· **Physical parameters**
· **Physical state** Fluid
· **Concentration of the substance in the mixture** The substance is main component.
· **Other operational conditions**
· **Other operational conditions affecting environmental exposure** No special measures required.
· **Other operational conditions affecting consumer exposure** Not required.
· **Other operational conditions affecting consumer exposure during the use of the product**
Not applicable.
· **Risk management measures**
· **Worker protection**
· **Organisational protective measures** No special measures required.
· **Technical protective measures** No special measures required.
· **Personal protective measures** No special measures required.
· **Measures for consumer protection** No special measures required.
· **Environmental protection measures**
· **Air** No special measures required.
· **Water** No special measures required.
· **Disposal measures**
Disposal must be made according to official regulations.
Ensure that waste is collected and contained.
· **Disposal procedures** Dispose of product residues with household waste.
· **Waste type** Partially emptied and uncleaned packaging
· **Exposure estimation**
· **Consumer** Not relevant for this Exposure Scenario.
· **Guidance for downstream users** No further relevant information available.