Safety data sheet
according to UK REACH

Printing date 15.04.2025 Version number 2.0 (replaces version 1.0) Revision: 15.04.2025

*

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** **SUSPENSION GREASE**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture**
Grease
Only for proper handling.

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**

MOTOREX AG
Bern–Zürich–Strasse 31, Postfach
CH–4901 Langenthal
Tel. +41 (0)62 919 75 75
www.motorex.com

· **Further information obtainable from:** msds@motorex.com
· **1.4 Emergency telephone number:**
In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the GB CLP regulation.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008** Void
· **Hazard pictograms** Void
· **Signal word** Void
· **Hazard statements** Void
· **Additional information:**
Contains zinc naphthenate, Polysulfides, di-tert-dodecyl. May produce an allergic reaction.
· **2.3 Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

*

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**		
CAS: 12001-85-3 EINECS: 234-409-2 Reg.nr.: 01-2120783834-41	zinc naphthenate Aquatic Chronic 2, H411; Eye Irrit. 2, H319; Skin Sens. 1B, H317	≥0.25-<1%
CAS: 68425-15-0 EINECS: 270-335-7 Reg.nr.: 01-2119540516-41	Polysulfides, di-tert-dodecyl Skin Sens. 1B, H317	≥0.25-<1%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)

Safety data sheet
according to UK REACH

Printing date 15.04.2025 Version number 2.0 (replaces version 1.0) Revision: 15.04.2025

Trade name: SUSPENSION GREASE

(Contd. of page 1)

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **After inhalation:** Supply fresh air; consult doctor in case of complaints.
· **After skin contact:** Generally the product does not irritate the skin.
· **After eye contact:** Rinse opened eye for several minutes under running water.
· **After swallowing:** If symptoms persist consult doctor.
· **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
· **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
· **5.3 Advice for firefighters**
· **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
· **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
· **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:** None.
· **Storage class:** 10
· **7.3 Specific end use(s)** No further relevant information available.

*

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**
· **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

Trade name: SUSPENSION GREASE

(Contd. of page 2)

· **DNELs**

12001-85-3 zinc naphthenate		
Oral	DNEL/general population/Systemic effects/Long-term	0.00000017 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	3.3 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	1.7 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	1.18 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	0.29 mg/m3 (consumer)
68425-15-0 Polysulfides, di-tert-dodecyl		
Oral	DNEL/general population/Systemic effects/Long-term	1.66 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	33.3 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	16.66 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	23.5 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	5.8 mg/m3 (consumer)

· **PNECs**

12001-85-3 zinc naphthenate		
	PNEC / Aquatic organisms / Freshwater	0.004 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Marine water	0.0004 mg/l (aquatic organisms)
	PNEC/Aquatic org/intermittent releases(freshwater)	0.04 mg/l (aquatic organisms)
	PNEC/Aquatic org/ intermittentreleases(marine water)	0.04 mg/l (aquatic organisms)
	PNEC/Aquatic organisms/Sewage treatment plant/STP	0.6897 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Sediment (freshwater)	0.015-19.438 mg/kg (aquatic organisms)
	PNEC / Aquatic organisms / Sediment (marine water)	0.0015-1.9438 mg/kg (aquatic organisms)
	PNEC / Terrestrial organism / Soil	0.0006746-3.873 mg/kg (terrestrial organisms)
68425-15-0 Polysulfides, di-tert-dodecyl		
Oral	PNEC / Predators / Secondary poisoning	66.7 mg/kg food (secondary poisoning (predators))
	PNEC/Aquatic organisms/Sewage treatment plant/STP	1,000 mg/l (aquatic organisms)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.

(Contd. on page 4)

(Contd. of page 3)

· **Respiratory protection:** Not required.
· **Hand protection**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye/face protection** Goggles recommended during refilling
· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **General Information**	
· **Physical state**	Liquid
· **Colour:**	Yellowish
· **Odour:**	Characteristic
· **Odour threshold:**	Not determined.
· **Melting point/freezing point:**	Undetermined.
· **Boiling point or initial boiling point and boiling range**	Undetermined.
· **Flammability**	Not applicable.
· **Lower and upper explosion limit**	
· **Lower:**	Not determined.
· **Upper:**	Not determined.
· **Flash point:**	>200 °C
· **Decomposition temperature:**	Not determined.
· **pH**	Not determined.
· **Viscosity:**	
· **Kinematic viscosity**	Not determined.
· **Consistency**	
· **Dynamic:**	Not determined.
· **Solubility**	
· **water:**	Not miscible or difficult to mix.
· **Partition coefficient n-octanol/water (log value)**	Not determined.
· **Heat Capacity**	
· **Vapour pressure:**	Not determined.
· **Density and/or relative density**	
· **Density at 20 °C:**	0.95 g/cm³ (ASTM D 4052)
· **Relative density**	Not determined.
· **Vapour density**	Not determined.
· **9.2 Other information**	
· **Appearance:**	
· **Form:**	Fluid
· **Important information on protection of health and environment, and on safety.**	
· **Explosive properties:**	Product does not present an explosion hazard.

(Contd. on page 5)

Trade name: SUSPENSION GREASE

(Contd. of page 4)

· **Solvent separation test:**	
· **VOC (EC)**	0.00 %
· **Change in condition**	
· **Drip point:**	>140 °C
· **Evaporation rate**	Not determined.
· **Information with regard to physical hazard classes**	
· **Explosives**	Void
· **Flammable gases**	Void
· **Aerosols**	Void
· **Oxidising gases**	Void
· **Gases under pressure**	Void
· **Flammable liquids**	Void
· **Flammable solids**	Void
· **Self-reactive substances and mixtures**	Void
· **Pyrophoric liquids**	Void
· **Pyrophoric solids**	Void
· **Self-heating substances and mixtures**	Void
· **Substances and mixtures, which emit flammable gases in contact with water**	Void
· **Oxidising liquids**	Void
· **Oxidising solids**	Void
· **Organic peroxides**	Void
· **Corrosive to metals**	Void
· **Desensitised explosives**	Void

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
· **10.3 Possibility of hazardous reactions** No dangerous reactions known.
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:** No further relevant information available.
· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

*

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**		
12001-85-3 zinc naphthenate		
Oral	LD50	>2,000 ml/kg (rat)
	NOAEL	13.26-900 mg/kg/24h (rat)
	NOEL	3,000 ppm (rat)
68425-15-0 Polysulfides, di-tert-dodecyl		
Oral	LD50	19,550 mg/kg (rat)
	NOAEL	1,000 mg/kg/24h (rat)
Dermal	LD50	2,000 mg/kg (rat)
Inhalative	LC50 / 4h	15.5 mg/l (rat)

(Contd. on page 6)

Trade name: SUSPENSION GREASE

(Contd. of page 5)

· **Primary irritant effect:**
· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
· **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.
· **STOT-single exposure** Based on available data, the classification criteria are not met.
· **STOT-repeated exposure** Based on available data, the classification criteria are not met.
· **Aspiration hazard** Based on available data, the classification criteria are not met.
· **11.2 Information on other hazards**

· **Endocrine disrupting properties**
None of the ingredients is listed.

*

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
12001-85-3 zinc naphthenate	
IC50	0.35 mg/l/4h (microorganisms)
LC50	1.53-2 ppm/96h (Lepomis macrochirus)
EC50	4.6 ppm/48h (Daphnia Magna)
EC50	5.2 mg/l/3h (microorganisms)
LL50	100 mg/l/96h (fish)
EL50	35 mg/l/48h (aquatic invertebrates)
EL50	1.4-4 mg/l/72h (algae / cyanobacteria)
NOELR	0.32-1 mg/l/72h (algae / cyanobacteria)
68425-15-0 Polysulfides, di-tert-dodecyl	
LC50	100 mg/l/96h (fish)
LC0	100 mg/l/96h (fish)
LL50	100 mg/l/96h (fish)
NOEC	0.08 mg/l/72h (algae / cyanobacteria)
	10-10,000 mg/l/72h (microorganisms)
NOEC	100 mg/l/96h (fish)
NOEC	0.1 mg/l/48h (aquatic invertebrates)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential**	
12001-85-3 zinc naphthenate	
Partition coefficient	0.8-11.15 [---] (log Kow) (Bioaccumulation)
68425-15-0 Polysulfides, di-tert-dodecyl	
Partition coefficient	6.2-12.45 [---] (log Kow) (Bioaccumulation)

· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

Trade name: SUSPENSION GREASE

(Contd. of page 6)

· **12.7 Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Contact waste processors for recycling information.
Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

· **Uncleaned packaging:**
· **Recommendation:** *Disposal must be made according to official regulations.*

SECTION 14: Transport information

· **14.1 UN number or ID number** · **ADR/RID/ADN, IMDG, IATA**	*Not classified as hazardous for transport*
· **14.2 UN proper shipping name** · **ADR/RID/ADN, IMDG, IATA**	*Not classified as hazardous for transport*
· **14.3 Transport hazard class(es)** · **ADR/RID/ADN, ADN, IMDG, IATA** · **Class**	*Not classified as hazardous for transport*
· **14.4 Packing group** · **ADR/RID/ADN, IMDG, IATA**	*Not classified as hazardous for transport*
· **14.5 Environmental hazards:**	*Not applicable.*
· **14.6 Special precautions for user**	*Not applicable.*
· **14.7 Maritime transport in bulk according to IMO instruments**	*Not applicable.*
· **UN "Model Regulation":**	*Not classified as hazardous for transport*

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Poisons Act**

· **Regulated explosives precursors**
None of the ingredients is listed.

· **Regulated poisons**
None of the ingredients is listed.

· **Reportable explosives precursors**
None of the ingredients is listed.

(Contd. on page 8)

Trade name: SUSPENSION GREASE

(Contd. of page 7)

· **Reportable poisons**
None of the ingredients is listed.

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

*

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.
No special training instructions to ensure protection of human health and environment are required.

· **purity requirement**
· **Relevant phrases**
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.

· **Department issuing SDS:** Abteilung Produktsicherheit
· **Abbreviations and acronyms:**
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1B: Skin sensitisation – Category 1B
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
· *** Data compared to the previous version altered.**

Annex: Exposure scenario 1

· **Short title of the exposure scenario** Industrial use of lubricants and greases in open systems
· **Sector of Use**
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
· **Product category** PC24 Lubricants, greases, release products
· **Process category**
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC7 Industrial spraying
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC10 Roller application or brushing
PROC13 Treatment of articles by dipping and pouring
· **Environmental release category**
ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
· **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
· **Conditions of use**
· **Duration and frequency** 5 workdays/week.
· **Physical parameters**
· **Physical state** Fluid
· **Concentration of the substance in the mixture** The substance is main component.
· **Other operational conditions**
· **Other operational conditions affecting environmental exposure** No special measures required.
· **Other operational conditions affecting consumer exposure** Not required.

(Contd. on page 9)

(Contd. of page 8)

· **Other operational conditions affecting consumer exposure during the use of the product**
Not applicable.
· **Risk management measures**
· **Worker protection**
· **Organisational protective measures** No special measures required.
· **Technical protective measures** No special measures required.
· **Personal protective measures** No special measures required.
· **Measures for consumer protection** No special measures required.
· **Environmental protection measures**
· **Air** No special measures required.
· **Water** No special measures required.
· **Disposal measures**
Disposal must be made according to official regulations.
Ensure that waste is collected and contained.
· **Disposal procedures** Dispose of product residues with household waste.
· **Waste type** Partially emptied and uncleaned packaging
· **Exposure estimation**
· **Consumer** Not relevant for this Exposure Scenario.
· **Guidance for downstream users** No further relevant information available.

Annex: Exposure scenario 2

· **Short title of the exposure scenario** Professional use of lubricants and greases in open systems
· **Sector of Use**
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
· **Product category** PC24 Lubricants, greases, release products
· **Process category**
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC10 Roller application or brushing
PROC11 Non industrial spraying
PROC13 Treatment of articles by dipping and pouring
· **Environmental release category**
ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
· **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
· **Conditions of use**
· **Duration and frequency** 5 workdays/week.
· **Physical parameters**
· **Physical state** Fluid
· **Concentration of the substance in the mixture** The substance is main component.
· **Other operational conditions**
· **Other operational conditions affecting environmental exposure** No special measures required.
· **Other operational conditions affecting consumer exposure** Not required.
· **Other operational conditions affecting consumer exposure during the use of the product**
Not applicable.
· **Risk management measures**
· **Worker protection**
· **Organisational protective measures** No special measures required.
· **Technical protective measures** No special measures required.
· **Personal protective measures** No special measures required.
· **Measures for consumer protection** No special measures required.

(Contd. on page 10)

Trade name: SUSPENSION GREASE

(Contd. of page 9)

· **Environmental protection measures**
· **Air** No special measures required.
· **Water** No special measures required.
· **Disposal measures**
Disposal must be made according to official regulations.
Ensure that waste is collected and contained.
· **Disposal procedures** Dispose of product residues with household waste.
· **Waste type** Partially emptied and uncleaned packaging
· **Exposure estimation**
· **Consumer** Not relevant for this Exposure Scenario.
· **Guidance for downstream users** No further relevant information available.

Annex: Exposure scenario 3

· **Short title of the exposure scenario** Private use of lubricants and greases in open systems
· **Sector of Use** SU21 Consumer uses: Private households / general public / consumers
· **Product category** PC24 Lubricants, greases, release products
· **Environmental release category**
ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
· **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
· **Conditions of use**
· **Duration and frequency** 5 workdays/week.
· **Physical parameters**
· **Physical state** Fluid
· **Concentration of the substance in the mixture** The substance is main component.
· **Other operational conditions**
· **Other operational conditions affecting environmental exposure** No special measures required.
· **Other operational conditions affecting consumer exposure** Not required.
· **Other operational conditions affecting consumer exposure during the use of the product**
Not applicable.
· **Risk management measures**
· **Worker protection**
· **Organisational protective measures** No special measures required.
· **Technical protective measures** No special measures required.
· **Personal protective measures** No special measures required.
· **Measures for consumer protection** No special measures required.
· **Environmental protection measures**
· **Air** No special measures required.
· **Water** No special measures required.
· **Disposal measures**
Disposal must be made according to official regulations.
Ensure that waste is collected and contained.
· **Disposal procedures** Dispose of product residues with household waste.
· **Waste type** Partially emptied and uncleaned packaging
· **Exposure estimation**
· **Consumer** Not relevant for this Exposure Scenario.
· **Guidance for downstream users** No further relevant information available.