Safety Data Sheet
acc. to OSHA HCS

Printing date 08/26/2024 Reviewed on 08/26/2024

*

1 Identification

· **Product identifier**

· **Trade name: BIKE SHINE SPRAY**

· **Application of the substance / the mixture**
Cleaning and maintenance agent
Only for proper handling.

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**

MOTOREX AG
Bern–Zürich–Strasse 31, Postfach
CH–4901 Langenthal
Tel. +41 (0)62 919 75 75
www.motorex.com

· **Information department:** msds@motorex.com
· **Emergency telephone number:**
USA + Kanada: 1 800 424 9300 (Chemtrec Chemical Manufacturers Association, Arlington, VA 22209)

*

2 Hazard(s) identification

· **Classification of the substance or mixture**

Flammable Aerosols 1	H222 Extremely flammable aerosol.
Eye Irritation 2A	H319 Causes serious eye irritation.
Specific Target Organ Toxicity - Single Exposure 3	H336 May cause drowsiness or dizziness.
Aspiration Hazard 1	H304 May be fatal if swallowed and enters airways.
Aquatic Acute 3	H402 Harmful to aquatic life.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

· **Label elements**
· **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**

GHS02 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics
Distillates (petroleum), hydrotreated light paraffinic
propan-2-ol
· **Hazard statements**
H222 Extremely flammable aerosol.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.
· **Precautionary statements**

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P211	Do not spray on an open flame or other ignition source.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/26/2024 Reviewed on 08/26/2024

Trade name: BIKE SHINE SPRAY

(Contd. of page 1)

P251	Pressurized container: Do not pierce or burn, even after use.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear eye protection / face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P331	Do NOT induce vomiting.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.

· **Classification system:**
· **NFPA ratings (scale 0 - 4)**

Health = 2
Fire = 4
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

Health = 2
Fire = 4
Reactivity = 3

· **Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

*

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**
· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

EC number: 918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics Aspiration Hazard 1, H304	25-50%
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0	butane, pure Flammable Gases 1, H220; Gases under Pressure - Compressed gas, H280	10-25%
CAS: 64742-55-8 EINECS: 265-158-7 Index number: 649-468-00-3	Distillates (petroleum), hydrotreated light paraffinic Aspiration Hazard 1, H304	10-25%

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/26/2024 Reviewed on 08/26/2024

Trade name: BIKE SHINE SPRAY

(Contd. of page 2)

CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0	propan-2-ol Flammable Liquids 2, H225; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H336	≥10-<20%
EC number: 927-241-2	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics Flammable Liquids 3, H226; Aspiration Hazard 1, H304; Specific Target Organ Toxicity - Single Exposure 3, H336; Aquatic Chronic 3, H412	≥10-<20%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5	propane Flammable Gases 1, H220; Gases under Pressure - Compressed gas, H280	2.5-7.5%
EC number: 932-020-9	Hydrocarbons, C8-C9, isoalkanes Flammable Liquids 3, H226; Aspiration Hazard 1, H304; Aquatic Chronic 2, H411; Specific Target Organ Toxicity - Single Exposure 3, H336; Aquatic Acute 2, H401	2.5-7.5%

· **Additional information:**
Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346.

4 First-aid measures

· **Description of first aid measures**
· **After inhalation:** Supply fresh air; consult doctor in case of complaints.
· **After skin contact:** Wash affected skin thoroughly with water.
· **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· **After swallowing:** If symptoms persist consult doctor.
· **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· **Special hazards arising from the substance or mixture** No further relevant information available.
· **Advice for firefighters**
· **Protective equipment:** No special measures required.

*

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
· **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
· **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.

(Contd. on page 4)

(Contd. of page 3)

· **Protective Action Criteria for Chemicals**

· **PAC-1:**		
106-97-8	butane, pure	5500* ppm
67-63-0	propan-2-ol	400 ppm
74-98-6	propane	5500* ppm
540-97-6	Dodecamethylcyclohexasiloxane	150 mg/m³
5989-27-5	(R)-p-mentha-1,8-diene	15 ppm
101-84-8	diphenyl ether	2 ppm
556-67-2	octamethylcyclotetrasiloxane	30 ppm
99-87-6	p-cymene	120 mg/m³

· **PAC-2:**		
106-97-8	butane, pure	17000** ppm
67-63-0	propan-2-ol	2000* ppm
74-98-6	propane	17000** ppm
540-97-6	Dodecamethylcyclohexasiloxane	1,700 mg/m³
5989-27-5	(R)-p-mentha-1,8-diene	67 ppm
101-84-8	diphenyl ether	17 ppm
556-67-2	octamethylcyclotetrasiloxane	68 ppm
99-87-6	p-cymene	1,300 mg/m³

· **PAC-3:**		
106-97-8	butane, pure	53000*** ppm
67-63-0	propan-2-ol	12000** ppm
74-98-6	propane	33000*** ppm
540-97-6	Dodecamethylcyclohexasiloxane	9,900 mg/m³
5989-27-5	(R)-p-mentha-1,8-diene	170 ppm
101-84-8	diphenyl ether	100 ppm
556-67-2	octamethylcyclotetrasiloxane	130 ppm
99-87-6	p-cymene	1,900 mg/m³

· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
· **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
Do not spray on a naked flame or any incandescent material.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:**
Observe official regulations on storing packagings with pressurized containers.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:**
The recommended storage temperature is (deg.C): -10 - +50°C
Keep receptacle tightly sealed.
· **Storage class:** 2 B

(Contd. on page 5)

(Contd. of page 4)

· **Specific end use(s)** No further relevant information available.

*

8 Exposure controls/personal protection

· **Control parameters**
· **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

106-97-8 butane, pure	
REL	Long-term value: 1900 mg/m³, 800 ppm
TLV	Short-term value: 1000 ppm (EX)
67-63-0 propan-2-ol	
PEL	Long-term value: 980 mg/m³, 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4
74-98-6 propane	
PEL	Long-term value: 1800 mg/m³, 1000 ppm
REL	Long-term value: 1800 mg/m³, 1000 ppm
TLV	see Appendix F Minimal oxygen content (D, EX)

· **Ingredients with biological limit values:**	
67-63-0 propan-2-ol	
BEI	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**
· **Additional information about design of technical systems:** No further data; see section 7.
· **Personal protective equipment:**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
· **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
· **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/26/2024 Reviewed on 08/26/2024

Trade name: BIKE SHINE SPRAY

(Contd. of page 5)

· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye protection:** Not required.
· **Body protection:** Protective work clothing

*

9 Physical and chemical properties

· **Information on basic physical and chemical properties**
· **General Information**

· **Color:**	colourless to light yellow
· **Odor:**	orange
· **Odor threshold:**	Not determined.
· **Melting point/Melting range:**	Undetermined.
· **Boiling point/Boiling range:**	Not applicable, as aerosol.
· **Flammability (solid, gaseous):**	Not applicable.
· **Explosion limits:**	
· **Lower:**	1.5 Vol %
· **Upper:**	12 Vol %
· **Flash point:**	<-10 °C
· **Auto igniting:**	365 °C (DIN 51794)
· **Decomposition temperature:**	Not determined.
· **pH-value:**	Not determined.
· **Viscosity:**	
· **Kinematic:**	<1 mm²/s @ 40 °C (DIN 51562-1)
· **Consistency**	
· **Dynamic:**	Not determined.
· **Solubility in / Miscibility with**	
· **Water:**	Not miscible or difficult to mix.
· **Partition coefficient (n-octanol/water):**	Not determined.
· **Vapor pressure at 20 °C:**	2,100 hPa
· **Vapor pressure:**	
· **Density at 20 °C:**	0.802 g/cm³ (ASTM D 4052)
· **Relative density**	Not determined.
· **Vapor density**	Not determined.

· **Other information**
· **Appearance:**

· **Form:**	Liquefied gas
· **Important information on protection of health and environment, and on safety.**	
· **Danger of explosion:**	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· **Change in condition**	
· **Evaporation rate**	Not applicable.

10 Stability and reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/26/2024 Reviewed on 08/26/2024

Trade name: BIKE SHINE SPRAY

(Contd. of page 6)

· **Hazardous decomposition products:** No dangerous decomposition products known.

* 11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**		
106-97-8 butane, pure		
Inhalative	LC50 / 15 min	1,442.738-1.443 mg/l (rat)
	LC50 / 15 min	800,000 ppm (rat)
	LC50 / 2h	1,237 mg/l (mouse)
	LC50 / 2h	520,400-539,600 ppm (mouse)
	LC50 / 4h	658 mg/l (rat)
	NOAEC	4,000-16,000 ppm (rat)
	NOAEC	7.2-21.4 mg/l (rat)
	LOAEC	21.6 mg/l (rat)
	LOAEC	12,000 ppm (rat)
64742-55-8 Distillates (petroleum), hydrotreated light paraffinic		
Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse)
		30-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
	LOAEL	100 mg/kg/24h (mouse)
Inhalative	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m3 (rat)
	NOAEL	980 mg/m3 (rat)
67-63-0 propan-2-ol		
Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	16.4 ml/kg (rabbit)
	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50 / 6h	10,000 ppm (rat)
	NOAEC	5,000 ppm (rat)
	NOEC	500-5,000 ppm (rat)
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
Oral	LD50	5,000-15,000 mg/kg (rat)
	NOAEL	1,000-5,000 mg/kg/24h (rat)
Dermal	LD50	2,000 mg/kg (rat)
		3,160-5,000 mg/kg (rabbit)
Inhalative	LC50 / 4h	4.951-9.3 mg/l (rat)
	LC50 / 8h	41-4,467 ppm (rat)
	LC50 / 8h	5 mg/l (rat)
	NOAEL	200 ppm (rat)
	NOAEC	275-10,400 mg/m3 (rat)
74-98-6 propane		
Inhalative	LC50 / 15 min	1,442.738-1.443 mg/l (rat)

(Contd. on page 8)

(Contd. of page 7)

	LC50 / 15 min	800,000 ppm (rat)
	LC50 / 2h	1,237 mg/l (mouse)
	LC50 / 2h	520,400-539,600 ppm (mouse)
	NOAEC	4,000-16,000 ppm (rat)
	NOAEC	7.214-21.394 mg/l (rat)
	LOAEC	21.64 mg/l (rat)
	LOAEC	12,000 ppm (rat)

· **on the eye:** Causes serious eye irritation.
· **Specific target organ toxicity - single exposure** May cause drowsiness or dizziness.
· **Aspiration hazard** May be fatal if swallowed and enters airways.
· **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**		
67-63-0	propan-2-ol	3
5989-27-5	(R)-p-mentha-1,8-diene	3
123-35-3	7-methyl-3-methyleneocta-1,6-diene	2B

· **NTP (National Toxicology Program)**
None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**
None of the ingredients is listed.

*

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**	
106-97-8 butane, pure	
LC50	24.1-147.5 mg/l/96h (fish)
LC50	14.2-69.4 mg/l/48h (aquatic invertebrates)
EC50	7.7-19.4 mg/l/96h (algae / cyanobacteria)
64742-55-8 Distillates (petroleum), hydrotreated light paraffinic	
LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)
	>100 mg/l/96h (Pimephales promelas) (OECD 203)
LL50	10,000 mg/l/72h (aquatic invertebrates)
LL50	10,000 mg/l/48h (aquatic invertebrates)
EL50	10,000 mg/l/48h (aquatic invertebrates)
NOEL	>100 mg/l/72h (Pseudokirchnerella subcapitata) (OECD 201)
67-63-0 propan-2-ol	
LC50	9.64-10 mg/l/96h (fish)
LC50	10,000 mg/l/24h (aquatic invertebrates)
EC50	10,000 mg/l/24h (aquatic invertebrates)
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics	
LL50	10-30 mg/l/96h (fish)
LL50	10-30 mg/l/72h (fish)
LL50	100 mg/l/48h (fish)
LL50	100 mg/l/24h (fish)

(Contd. on page 9)

(Contd. of page 8)

LL0	10 mg/l/96h (aquatic invertebrates)
	1 mg/l/96h (fish)
EL50	22-46 mg/l/48h (aquatic invertebrates)
	1,000 mg/l/48h (algae / cyanobacteria)
EL50	100 mg/l/24h (aquatic invertebrates)
	1,000 mg/l/24h (algae / cyanobacteria)
EL50	1,000 mg/l/72h (algae / cyanobacteria)
EL0	10 mg/l/48h (aquatic invertebrates)
NOELR	0.182 mg/l/28d (fish)
NOELR	0.317 mg/l/21d (aquatic invertebrates)
NOELR	1,000 mg/l/72h (algae / cyanobacteria)
74-98-6 propane	
LC50	24.11-147.54 mg/l/96h (fish)
LC50	14.22-69.43 mg/l/48h (aquatic invertebrates)
EC50	7.71-19.37 mg/l/96h (algae / cyanobacteria)

· **Persistence and degradability** No further relevant information available.

· **Bioaccumulative potential**	
106-97-8 butane, pure	
Partition coefficient	1.09-2.8 [---] (log Kow) (Bioaccumulation)
64742-55-8 Distillates (petroleum), hydrotreated light paraffinic	
Partition coefficient	>3.5 [---] (log Kow) (Bioaccumulation)
67-63-0 propan-2-ol	
Partition coefficient	0.05 [---] (log Kow) (Bioaccumulation)
Biologische Abbaubarkeit	>70 % (28d) (Biodegradability) (EU Method C.5)
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics	
Biologische Abbaubarkeit	>80 % (28d) (Biodegradability) (OECD 301 F)
74-98-6 propane	
Partition coefficient	1.09-2.8 [---] (log Kow) (Bioaccumulation)

· **Mobility in soil** No further relevant information available.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **Other adverse effects**
· **Remark:** Harmful to fish
· **Additional ecological information:**
· **General notes:**
Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water
Water hazard class 2 (Self-classification according VwVwS, 17.05.1999): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Harmful to aquatic organisms

*

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Contact waste processors for recycling information.

(Contd. on page 10)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/26/2024 Reviewed on 08/26/2024

Trade name: BIKE SHINE SPRAY

(Contd. of page 9)

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

· **Uncleaned packagings:**
· **Recommendation:**
Disposal must be made according to official regulations.
Discharged containers can contain flammable or explosive vapours.

14 Transport information

· **UN-Number**	
· **DOT, ADR/RID/ADN, IMDG, IATA**	UN1950
· **UN proper shipping name**	
· **DOT**	Aerosols, flammable
· **ADR/RID/ADN**	1950 AEROSOLS
· **IMDG**	AEROSOLS
· **IATA**	AEROSOLS, flammable
· **Transport hazard class(es)**	
· **DOT**	
· **Class**	2.1 Gases
· **Label**	2.1
· **ADR/RID/ADN**	
· **Class**	2 5F Gases
· **Label**	2.1
· **IMDG, IATA**	
· **Class**	2.1 Gases
· **Label**	2.1
· **Packing group**	
· **DOT, ADR/RID/ADN, IMDG, IATA**	Void
· **Environmental hazards:**	
· **Marine pollutant:**	No
· **Special precautions for user**	Warning: Gases
· **Hazard identification number (Kemler code):**	-
· **EMS Number:**	F-D,S-U

(Contd. on page 11)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/26/2024 Reviewed on 08/26/2024

Trade name: BIKE SHINE SPRAY

(Contd. of page 10)

· **Stowage Code**	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
· **Segregation Code**	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**	Not applicable.
· **Transport/Additional information:**	
· **ADR/RID/ADN**	
· **Excepted quantities (EQ)**	Code: E0 Not permitted as Excepted Quantity
· **IMDG**	
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E0 Not permitted as Excepted Quantity
· **UN "Model Regulation":**	UN 1950 AEROSOLS, 2.1

*

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**
None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**	
67-63-0	propan-2-ol
1222-05-5	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

· **TSCA (Toxic Substances Control Act):**		
106-97-8	butane, pure	ACTIVE
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	ACTIVE
67-63-0	propan-2-ol	ACTIVE
74-98-6	propane	ACTIVE
540-97-6	Dodecamethylcyclohexasiloxane	ACTIVE
5989-27-5	(R)-p-mentha-1,8-diene	ACTIVE
7128-64-5	2,5-Thiophendiylbis(5-tert-butyl-1,3-benzoaxol)	ACTIVE
586-62-9	Terpinene	ACTIVE
8000-41-7	p-Ment-1-n-8-ol (& Isomere)	ACTIVE
93-18-5	beta-Naphthol ethyl ether	ACTIVE

(Contd. on page 12)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/26/2024 Reviewed on 08/26/2024

Trade name: BIKE SHINE SPRAY

(Contd. of page 11)

88-41-5	2-tert-Butylcyclohexyl acetate	ACTIVE
101-84-8	diphenyl ether	ACTIVE
99-85-4	p-Mentha-1,4-diene	ACTIVE
123-35-3	7-methyl-3-methyleneocta-1,6-diene	ACTIVE
470-82-6	1,8-epoxy-p-menthane	ACTIVE
556-67-2	octamethylcyclotetrasiloxane	ACTIVE
85-91-6	Methyl N-methylanthranilate	ACTIVE
115-95-7	linalyl acetate	ACTIVE
80-56-8	pin-2(3)-ene	ACTIVE
78-70-6	Linalool	ACTIVE
61789-86-4	Calcium petroleumsulfonate, synthetic, neutral	ACTIVE
127-91-3	beta-Pinene	ACTIVE
1222-05-5	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	ACTIVE
99-87-6	p-cymene	ACTIVE
5392-40-5	Citral	ACTIVE
106-24-1	Geraniol	ACTIVE
105-87-3	Geranyl acetate	ACTIVE
141-12-8	Neryl acetate	ACTIVE

· **Hazardous Air Pollutants**

101-84-8	diphenyl ether

· **Proposition 65**

· **Chemicals known to cause cancer:**

123-35-3	7-methyl-3-methyleneocta-1,6-diene

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

67-63-0	propan-2-ol	A4
80-56-8	pin-2(3)-ene	A4
127-91-3	beta-Pinene	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.
No special training instructions to ensure protection of human health and environment are required.

(Contd. on page 13)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/26/2024 Reviewed on 08/26/2024

Trade name: BIKE SHINE SPRAY

(Contd. of page 12)

· **Department issuing SDS:** *Abteilung Produktsicherheit*
· **Date of preparation / last revision** *08/26/2024 / 2.3*
· **Abbreviations and acronyms:**
Flammable Gases 1: Flammable gases – Category 1
Flammable Aerosols 1: Aerosols – Category 1
Gases under Pressure - Compressed gas: Gases under pressure – Compressed gas
Flammable Liquids 2: Flammable liquids – Category 2
Flammable Liquids 3: Flammable liquids – Category 3
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3
Aspiration Hazard 1: Aspiration hazard – Category 1
Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
· **** Data compared to the previous version altered.***